




DECOBAR - (DB) SERIES

WET / DRY / CABLE SUSPENDED / SURFACE MOUNT FIXTURES



PROJECT

TYPE

NOTES

FEATURES

CONSTRUCTION

High Quality Extruded Aluminum which is lighter and more weather resistant than steel - produced in 1", 2", and 3" wide housing channels up to 12' in a single section. Longer runs available with butt seams.

FINISH

Anodized Satin Aluminum, White and Black are standard finishes with the option for any custom powder coat finish giving superior finishes that are resistant to chipping, fading, and scratching.

DROP STYLES

Wide Assortment of custom shapes, sizes, finishes, and designs to fit and compliment any ambiance.

LIMITLESS CUSTOMIZATION

Where imagination and innovation converge. Whether its straight runs, curves, patterns, shapes, drop variations, or colors; Our simple platform for Decobar allows for easy customization.

EASY INSTALLATION

Either surface or suspended mount, Decobar is designed to have one-single feed point for a quick and smooth installation.

WET-RATED

Our 120V system has been tested and approved for indoor/outdoor wet locations. Conforms to IP65

WARRANTY

Lamps 3 year limited warranty, see [Warranty](#) for full terms.

Decobar System 5 year limited warranty, see [Warranty](#) for full terms.

SERIES	CHANNEL SIZE & FINISH	CHANEL LENGTH	CHANNEL CONFIGURATION	MOUNTING	DROP STYLE	DROP SPACING	CORD	LAMP
DB/D DRY DAMP	SELECT FROM PAGE 3	1' - 12' OTHER SPECIFY SEE PAGE 3	ST STRAIGHT CV CURVED MC MITER CUT CD CUSTOM	SM SURFACE MOUNT CABLE SUSPENDED	SELECT FROM PAGE 7,8	12 12" O/C 18 18" O/C 24 24" O/C 36 36" O/C OTHER SPECIFY	36B 36" BLACK 36W 36" WHITE 36" STANDARD FIELD ADJUSTABLE OTHER SPECIFY	SELECT FROM PAGE 9
DB/W WET				SK36 36" KIT SK48 48" KIT				



(DB) - DECOBAR

FIXTURE DRAWING & OPTIONS




PROJECT _____

TYPE _____

APPROVED BY: _____ DATE: _____


NOTES _____




STEP 1	STEP 2	STEP 3	STEP 4	STEP 5	STEP 6	STEP 7	STEP 8	STEP 9
SERIES	CHANNEL SIZE & FINISH	CHANEL LENGTH	CHANNEL CONFIGURATION	MOUNTING	DROP STYLE	DROP SPACING	CORD	LAMP
DB/D DRY DAMP DB/W WET	SELECT FROM PAGE 3	1' - 12' OTHER SPECIFY SEE PAGE 3	ST STRAIGHT CV CURVED MC MITER CUT CD CUSTOM	SM SURFACE MOUNT CABLE SUSPENDED SK36 36" KIT SK48 48" KIT	SELECT FROM PAGE 7 & 8	12 12" O/C 18 18" O/C 24 24" O/C 36 36" O/C OTHER SPECIFY	36B 36" BLACK 36W 36" WHITE 36" STANDARD FIELD ADJUSTABLE OTHER SPECIFY	SELECT FROM PAGE 9




CHANNEL SIZE OPTIONS




- MC12 / W** WHITE
- MC12 / B** BLACK
- MC12 / S** SATIN
- MC12 / CC** CUSTOM



- MC21 / W** WHITE
- MC21 / B** BLACK
- MC21 / S** SATIN
- MC21 / CC** CUSTOM



- MC22 / W** WHITE
- MC22 / B** BLACK
- MC22 / S** SATIN
- MC22 / CC** CUSTOM



- MC32 / W** WHITE
- MC32 / B** BLACK
- MC32 / S** SATIN
- MC32 / CC** CUSTOM

All channels are of a high quality extruded aluminum, up to 12' long. See below for finish options.

CHANNEL FINISH OPTIONS



W - WHITE
(Poder Coat, Standard)



S - SATIN
(Clear Anodized, Standard)



B - BLACK
(Poder Coat, Standard)



CC - CUSTOM COLOR
(Not standard, Consult Factory)

White, Satin and Black are standard finishes.
 Finish part number is already included in the above channel size part number.
 The actual color of the product may vary from what is seen on electronic devices.
 We cannot guarantee that the color you see on your screen accurately reflects the true color of the product.


CHANNEL LENGTH OPTIONS

NOMINAL LENGTH	1'	2'	3'	4'	5'	6'	7'	8'	9'	10'	11'	12'	OTHER
ACTUAL LENGTH	1'	2'	3'	4'	5'	6'	7'	8'	9'	10'	11'	12'	SPECIFY

The above lengths are standar lengths for straight configuration only.
 Channel lengths can be ordered in shorter or longer lengths than the ones specified above.
 12' Long is the maximum length in one single & continuous channel, longer lengths are available by connecting multiple channels.
 Custom patterns, custom curved and custom runs configuration require a drawing or template.


(ST) - STRAIGHT

For lengths options and details for straight configurations ([See page 3](#))





(CV) - CUSTOM CURVED

This configuration allows the design of full or partial circles & custom curved patterns.
Custom curved configuration designs require a drawing or template including radius information.





(MC) - MITER CUT PATTERN CONFIGURATION

Miter cut pattern configuration designs require a drawing or template.



(CD) - CUSTOM DESIGNS


Custom designs require drawings or templates. The designs displayed below are only examples and may not be suitable for some applications that can result in damage to the product and/or create hazardous situations for outdoor and wet location applications. Consult the factory if you have any questions or need help with your idea or custom designs.



SURFACE MOUNT (Dry / Damp / Wet)

Surface mounted channels are shipped undrilled for maximum field versatility. Pre-drilled mounting holes & power service hole available on request, consult factory with details.

- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field




CABLE SUSPENDED (Dry / Damp)

SK36 36" Suspension Kit
SK48 48" Suspension Kit
 Other cable lengths available.

EACH SUSPENSION KIT INCLUDES:

- (2) Top Fittings for 1/4-20 Rod (1/4-20 Rod by Others)
- (2) Adjustable Bottom Fittings (Pre attached to mounting channel)
- (2) Aircraft Cables
- (1) 5" Canopy With Mounting Hardware
- (1) 2" Canopy
- (1) Prewired to mounting channel 18/3 Black or White Power Cord
- (1) Cord grip

- Canopies to match channel finish
- Fixture lengths over 8' require center cable support
- Custom pendant spacing available, consult factory
- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field




CABLE SUSPENDED (Wet)

SK36 36" Suspension Kit
SK48 48" Suspension Kit
 Other cable lengths available.

EACH SUSPENSION KIT INCLUDES:

- (2) Top Fittings for 1/4-20 Rod (1/4-20 Rod by Others)
- (2) Adjustable Bottom Fittings (side exit) (pre attached to mounting channel)
- (2) Aircraft Cables
- (1) Prewired 18/3 Black or White Power Cord
- (1) Cord Grip

- W/P J Box not included (by others)
- Fixture lengths over 8' require center cable support
- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field



ACRYLIC DROPS



SPHERES

- 8" **DDS8** / FINISH
- 10" **DDS10** / FINISH
- 12" **DDS12** / FINISH



TUBES

- 4x8" **DDAT 4X8** / FINISH
 - 4x12" **DDAT 4X12** / FINISH
 - 6x8" **DDAT 6X8** / FINISH
 - 6x12" **DDAT 6X12** / FINISH
- *Top cap matches channel finish

FINISH OPTIONS



C - CLEAR
(Standard)



W - WHITE
(Standard)



F - FROSTED
(Standard)



CC - CUSTOM COLOR
(Not Standard, Consult Factory)

ALUMINUM & BRASS DROPS



CONES

- 8" **DDC8** / FINISH
- 10" **DDC10** / FINISH
- 12" **DDC12** / FINISH



DOMES

- 8" **DDD8** / FINISH
- 10" **DDD10** / FINISH
- 12" **DDD12** / FINISH



PERFORATED TUBES

- 4x8" **DDPT4X8** / FINISH
- 4x12" **DDPT4X12** / FINISH
- 6x8" **DDPT6X8** / FINISH
- 6x12" **DDPT6X12** / FINISH

FINISH OPTIONS



DB - DARK BRONZE
(Powder Coat, Standard)



VB - VERDE BRONZE
(Powder Coat, Standard)



W - WHITE
(Powder Coat, Standard)



S - SILVER
(Powder Coat, Standard)



B - BLACK
(Powder Coat, Standard)



CC - CUSTOM COLOR
(Not Standard, Consult Factory)

STEEL, ALUMINUM & BRASS CAGES & GUARDS DROPS



ROUND CAGES

8" **DDRC8** / FINISH
 10" **DDRC10** / FINISH
 12" **DDRC12** / FINISH
 (Steel)



REFLECTOR GUARD


8" **DDRG8** / FINISH
 10" **DDRG10** / FINISH
 12" **DDRG12** / FINISH
 (Aluminum, Brass Reflector)
 (Steel wireguard)



SQUARE CAGES


5X6" **DDSC5X6** / FINISH
 7.5X8.5" **DDSC7X8** / FINISH
 9.5X10.5" **DDSC9X10** / FINISH
 (Aluminum)

FINISH OPTIONS



W - WHITE

(Powder Coat, Standard)



S - SILVER

(Powder Coat, Standard)



B - BLACK

(Powder Coat, Standard)



CC - CUSTOM COLOR

(Not Standard, Consult Factory)

SOCKET DROPS & CUSTOM DESIGN DROPS



SOCKET & LAPM ONLY

DD / FINISH
 (Aluminum, Brass)



CUSTOM DESIGN

AVAILABLE, CONSULT FACTORY

FINISH OPTIONS



DB - DARK BRONZE

(Powder Coat, Standard)



VB - VERDE BRONZE

(Powder Coat, Standard)



W - WHITE

(Powder Coat, Standard)



S - SILVER

(Powder Coat, Standard)



B - BLACK

(Powder Coat, Standard)



CC - CUSTOM COLOR

(Not Standard, Consult Factory)

TRADITIONAL LAMPS, Wet Rated, Outdoor / Indoor (Dim to Off)



S14, 1.5W, 24/27K, 150L

S14/C/24/150 24K, CLEAR
S14/W/24/150 24K, WHITE
S14/C/27/150 27K, CLEAR

100L Available, Consult Factory



G16.5, 3.5W, 24/27K, 350L

G16/C/24/350 24K, CLEAR
G16/C/27/350 27K, CLEAR
G16/W/27/350 27K, WHITE

200L Available, Consult Factory



A19, 7.5W, 3K, 800L

A19/C/30/800 30K, CLEAR
A19/W/30/800 30K, WHITE



G25, 3.5W, 27K 350L

G25/C/27/350 27K, CLEAR
G25/W/27/350 27K, WHITE



G40, 3.5W, 27K 350L

G40/C/27/350 27K, CLEAR

VINTAGE LAMPS, Wet Rated, Outdoor / Indoor (Dim to off)



A19, 3.5W, 22K, 350L

A19/A/22/350
 AMBER GLASS



ST19, 3.5W, 22K, 350L

ST19/A/22/350
 AMBER GLASS



G25, 3.5W, 22K, 350L

G25/A/22/350
 AMBER GLASS



G40, 3.5W, 22K, 350L

G40/A/22/350
 AMBER GLASS



T10, 3.5W, 22K, 350L

T10/A/22/350
 AMBER GLASS

SPECIALTY / ELEGANT LAMPS, Indoor Only



A19, 7.5W, 22K-65K, 800L

A19/CT/800
 TUNABLE WHITE



G31, 7W, 20K-28K, 600L

G31/MW/DW/600
 MATT WHITE, DIM TO WARM



G30, 6W, 22K, 420-480L

G30/TG/DW/420 TINTED GLASS
G30/C/DW/480 CLEAR GLASS



G47, 8W, 20K-28K, 680L

G47/MW/DW/680
 MATT WHITE, DIM TO WARM



A52, 3W, 22K, 150L

A52/TC/22/150
 TINTED GLASS

Consult factory for a different lamp shape, lumens, color or any other special features